

Scheda n°1

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 66	p 22,2	c 15	c 2	a 20	l 1,2
A _b 272	A _b 28,4	p 36	p 4,8	p 96	a 1
A _l 594	A _l 157,62	A _b 54	A _b 0,96	A _b 576	A _b 1,44
A _t 1138	A _t 214,42	A _l 540	A _l 6,72	A _l 960	A _l 2,4
V 2448	V 201,64	A _t 6,48	A _t 8,64	A _t 15,36	A _t 3,84
X		V 0,81	V 1,344	V 3,072	V 0,384
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 9	b 8,8	b 48	b 3,6	k 44	k 4
p 62	p 34,8	p 144	p 10,8	p 264	a 5
A _b 240	A _b 75,68	A _b 864	A _b 4,86	A _b 4356	p 24
A _l 558	A _l 227,92	A _l 4320	A _l 30,24	A _l 7260	A _b 36
A _t 1038	V 166,496	A _t 60,48	A _t 39,96	A _t 116,16	A _l 60
X		V 25,92	V 13,608	V 63,888	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 5	c 9,1	a 5	a 0,5	l 60	l 6
p 32	p 27,6	c 13	c 1,3	k 72	a 7,8
A _l 256	A _b 46,61	p 30	p 3	p 240	p 24
A _t 366	A _l 251,16	A _l 1890	A _l 4,8	A _l 9360	A _b 36
V 440	A _t 344,38	A _t 19,5	A _t 5,4	A _t 129,6	A _l 93,6
X		V 1,89	V 0,48	V 86,4	A _l 129,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 6	b 8,9	b 96	b 14,4	l 70	l 12
c 11	c 8,5	c 104	c 15,6	k 84	k 14,4
A _b 42	p 29,2	p 240	p 36	p 280	a 15,6
A _l 286	A _l 248,2	k 114	k 10,1	A _b 4900	p 48
V 462	A _t 349,66	A _l 27360	A _l 363,6	A _t 176,4	A _b 144
X		A _t 312	A _t 450	V 137,2	V 691,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 19	b 4,6	b 60	b 4,5	l 64	l 8
c 12	c 1,6	p 160	p 12	k 60	k 7,5
p 50	A _b 29,9	k 153	k 12,1	a 68	a 8,5
A _l 600	A _l 35,52	A _b 960	A _b 5,4	p 256	p 32
A _t 828	V 47,84	A _t 264	A _t 156	A _l 8704	A _l 200
X		V 146,88	V 65,34	A _t 128	V 160

Scheda n°2

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 62	p 10,4	c 25	c 3	a 30	l 1,2
A _b 238	A _b 6,75	p 60	p 7,2	p 144	a 1
A _l 620	A _l 17,68	A _b 150	A _b 2,16	A _b 1296	A _b 1,44
A _t 1096	A _t 31,18	A _l 1500	A _l 12,24	A _l 2160	A _l 2,4
V 2380	V 11,475	A _t 18	A _t 16,56	A _t 34,56	A _t 3,84
X		V 3,75	V 3,672	V 10,368	V 0,384
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 20	b 9,7	b 40	b 4	k 36	k 3,6
p 56	p 35	p 120	p 12	p 216	a 4,5
A _b 171	A _b 75,66	A _b 600	A _b 6	A _b 2916	p 21,6
A _l 1120	A _l 469,82	A _l 6600	A _l 24	A _l 4860	A _b 29,16
A _t 1462	V 688,506	A _t 78	A _t 36	A _t 77,76	A _l 48,6
X		V 33	V 12	V 34,992	V 34,992
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 11	c 2	a 25	a 2,5	l 20	l 2
p 38	p 20	c 65	c 6,5	k 24	a 2,6
A _l 114	A _b 19,24	p 150	p 15	p 80	p 8
A _t 290	A _l 40	A _l 11400	A _l 61,5	A _l 1040	A _b 4
V 264	A _t 78,48	A _t 129	A _t 76,5	A _t 14,4	A _l 10,4
X		V 57	V 30,75	V 3,2	A _t 14,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 11	b 7,3	b 132	b 12	l 90	l 10
c 12	c 8,7	c 143	c 13	k 108	k 12
A _b 121	p 19,4	p 330	p 30	p 360	a 13
A _l 528	A _l 168,78	k 195	k 12	A _b 8100	p 40
V 1452	A _t 203,82	A _l 64350	A _l 360	A _t 291,6	A _b 100
X		A _t 716,1	A _t 420	V 291,6	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 7	b 9,1	b 150	b 1,5	l 128	l 8
c 5	c 5,5	p 400	p 4	k 120	k 7,5
p 32	A _b 67,34	k 157	k 16,5	a 136	a 8,5
A _l 160	A _l 181,5	A _b 6000	A _b 0,6	p 512	p 32
A _t 286	V 370,37	A _t 748	A _t 67,2	A _l 34816	A _t 200
X		V 942	V 9,9	A _t 512	V 160

Scheda n°3

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 54	p 35,8	c 5	c 0,5	a 5	l 3
A _b 176	A _b 79,68	p 12	p 1,2	p 24	a 2,5
A _l 378	A _l 293,56	A _b 6	A _b 0,06	A _b 36	A _b 9
A _t 730	A _t 452,92	A _l 372	A _l 2,52	A _l 60	A _l 15
V 1232	V 653,376	A _t 3,84	A _t 2,64	A _t 0,96	A _t 24
X		V 0,186	V 0,126	V 0,048	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 20	b 5,9	b 48	b 2,8	k 40	k 3,2
p 44	p 30,6	p 144	p 8,4	p 240	a 4
A _b 85	A _b 55,46	A _b 864	A _b 2,94	A _b 3600	p 19,2
A _l 880	A _l 371,02	A _l 8064	A _l 17,64	A _l 6000	A _b 23,04
A _t 1050	V 471,41	A _t 97,92	A _t 23,52	A _t 96	A _l 38,4
X		V 48,384	V 6,174	V 48	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 3	c 1,5	a 5	a 3	l 40	l 3
p 28	p 36,8	c 13	c 7,8	k 48	a 3,9
A _l 140	A _b 84,55	p 30	p 18	p 160	p 12
A _t 206	A _l 55,2	A _l 1140	A _l 34,2	A _l 4160	A _b 9
V 165	A _t 224,3	A _t 12	A _t 55,8	A _t 57,6	A _l 23,4
X		V 1,14	V 20,52	V 25,6	A _l 32,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 12	b 9,3	b 120	b 14,4	l 80	l 7
c 17	c 9,6	c 130	c 15,6	k 96	k 8,4
A _b 216	p 22,2	p 300	p 36	p 320	a 9,1
A _l 1020	A _l 213,12	k 107	k 11,9	A _b 6400	p 28
V 3672	A _t 246,6	A _l 32100	A _l 428,4	A _t 230,4	A _b 49
X		A _t 381	A _t 514,8	V 204,8	V 137,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 13	b 2,2	b 15	b 15	l 64	l 8
c 16	c 7,9	p 40	p 40	k 60	k 7,5
p 60	A _b 3,52	k 111	k 18,2	a 68	a 8,5
A _l 960	A _l 60,04	A _b 60	A _b 60	p 256	p 32
A _t 1402	V 27,808	A _t 45,6	A _t 848	A _l 8704	A _l 200
X		V 6,66	V 1092	A _t 128	V 160

Scheda n°4

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 58	p 30,4	c 5	c 2	a 20	l 1,8
A _b 180	A _b 54,87	p 12	p 4,8	p 96	a 1,5
A _l 348	A _l 224,96	A _b 6	A _b 0,96	A _b 576	A _b 3,24
A _t 708	A _t 334,7	A _l 456	A _l 12,96	A _l 960	A _l 5,4
V 1080	V 406,038	A _t 4,68	A _t 14,88	A _t 15,36	A _t 8,64
X		V 0,228	V 2,592	V 3,072	V 1,296
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 12	b 2,7	b 36	b 4	k 44	k 3,2
p 50	p 18,8	p 108	p 12	p 264	a 4
A _b 126	A _b 18,09	A _b 486	A _b 6	A _b 4356	p 19,2
A _l 600	A _l 171,54	A _l 2160	A _l 64,8	A _l 7260	A _b 23,04
A _t 852	V 130,248	A _t 31,32	A _t 76,8	A _t 116,16	A _l 38,4
X		V 9,72	V 32,4	V 63,888	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 12	c 6	a 30	a 2,5	l 20	l 1
p 46	p 20,8	c 78	c 6,5	k 24	a 1,3
A _l 874	A _b 20,79	p 180	p 15	p 80	p 4
A _t 1138	A _l 124,8	A _l 12060	A _l 79,5	A _l 1040	A _b 1
V 2508	A _t 166,38	A _t 142,2	A _t 94,5	A _t 14,4	A _l 2,6
X		V 72,36	V 39,75	V 3,2	A _t 3,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 15	b 3,4	b 120	b 12	l 110	l 12
c 17	c 4,2	c 130	c 13	k 132	k 14,4
A _b 255	p 23	p 300	p 30	p 440	a 15,6
A _l 1088	A _l 96,6	k 144	k 16	A _b 12100	p 48
V 4335	A _t 151,68	A _l 43200	A _l 480	A _t 435,6	A _b 144
X		A _t 492	A _t 540	V 532,4	V 691,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 16	b 8,8	b 165	b 12	l 112	l 3,2
c 7	c 3,5	p 440	p 32	k 105	k 3
p 38	A _b 36,96	k 172	k 19,2	a 119	a 3,4
A _l 266	A _l 91	A _b 7260	A _b 38,4	p 448	p 12,8
A _t 362	V 129,36	A _t 902	A _t 691,2	A _l 26656	A _t 32
X		V 1249	V 737,28	A _t 392	V 10,24

Scheda n°5

Scheda n°6

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 66	p 22,6	c 25	c 2	a 15	l 1,2
A _b 270	A _b 19,32	p 60	p 4,8	p 72	a 1
A _l 528	A _l 106,22	A _b 150	A _b 0,96	A _b 324	A _b 1,44
A _t 1068	A _t 144,86	A _l 2100	A _l 9,6	A _l 540	A _l 2,4
V 2160	V 90,804	A _t 24	A _t 11,52	A _t 8,64	A _t 3,84
X		V 5,25	V 1,92	V 1,296	V 0,384
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 18	b 6,3	b 40	b 3,6	k 36	k 4
p 28	p 16,2	p 120	p 10,8	p 216	a 5
A _b 40	A _b 11,34	A _b 600	A _b 4,86	A _b 2916	p 24
A _l 504	A _l 136,08	A _l 7080	A _l 11,88	A _l 4860	A _b 36
A _t 584	V 79,38	A _t 82,8	A _t 21,6	A _t 77,76	A _l 60
X		V 35,4	V 5,346	V 34,992	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 12	c 7,2	a 10	a 1	l 50	l 6
p 54	p 33,4	c 26	c 2,6	k 60	a 7,8
A _l 1080	A _b 69,16	p 60	p 6	p 200	p 24
A _t 1440	A _l 240,48	A _l 3780	A _l 15	A _l 6500	A _b 36
V 3600	A _t 378,8	A _t 40,2	A _t 17,4	A _t 90	A _l 93,6
X		V 7,56	V 3	V 50	A _l 129,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 10	b 4,7	b 132	b 12	l 100	l 12
c 17	c 9,7	c 143	c 13	k 120	k 14,4
A _b 180	p 28,4	p 330	p 30	p 400	a 15,6
A _l 952	A _l 275,48	k 108	k 12,9	A _b 10000	p 48
V 3060	A _t 364,78	A _l 35640	A _l 387	A _t 360	A _b 144
X		A _t 429	A _t 447	V 400	V 691,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 6	b 7,2	b 45	b 12	l 80	l 9,6
c 8	c 2,2	p 120	p 32	k 75	k 9
p 48	A _b 40,32	k 197	k 11,5	a 85	a 10,2
A _l 384	A _l 56,32	A _b 540	A _b 38,4	p 320	p 38,4
A _t 600	V 88,704	A _t 247,2	A _t 444,8	A _l 13600	A _l 288
X		V 106,38	V 441,6	A _t 200	V 276,48

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 40	p 5,6	c 30	c 2,5	a 5	l 3
A _b 99	A _b 1,96	p 72	p 6	p 24	a 2,5
A _l 400	A _l 7,84	A _b 216	A _b 1,5	A _b 36	A _b 9
A _t 598	A _t 11,76	A _l 1512	A _l 22,8	A _l 60	A _l 15
V 990	V 2,744	A _t 19,44	A _t 25,8	A _t 0,96	A _t 24
X		V 4,536	V 5,7	V 0,048	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 18	b 8,7	b 40	b 4	k 28	k 3,2
p 22	p 20,8	p 120	p 12	p 168	a 4
A _b 24	A _b 14,79	A _b 600	A _b 6	A _b 1764	p 19,2
A _l 396	A _l 62,86	A _l 3120	A _l 68,4	A _l 2940	A _b 23,04
A _t 444	V 23,664	A _t 43,2	A _t 80,4	A _t 47,04	A _l 38,4
X		V 15,6	V 34,2	V 16,464	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 12	c 9,9	a 20	a 1,5	l 50	l 6
p 50	p 31,6	c 52	c 3,9	k 60	a 7,8
A _l 800	A _b 62,4	p 120	p 9	p 200	p 24
A _t 1112	A _l 312,84	A _l 7200	A _l 34,2	A _l 6500	A _b 36
V 2496	A _t 437,64	A _t 81,6	A _t 39,6	A _t 90	A _l 93,6
X		V 28,8	V 10,26	V 50	A _t 129,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 12	b 4,5	b 132	b 10,8	l 90	l 8
c 4	c 4	c 143	c 11,7	k 108	k 9,6
A _b 48	p 14,4	p 330	p 27	p 360	a 10,4
A _l 128	A _l 57,6	k 143	k 15,8	A _b 8100	p 32
V 192	A _t 81,9	A _l 47190	A _l 426,6	A _t 291,6	A _b 64
X		A _t 544,5	A _t 475,2	V 291,6	V 204,8
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 9	b 9,7	b 15	b 1,5	l 80	l 1,6
c 13	c 4,3	p 40	p 4	k 75	k 1,5
p 38	A _b 58,2	k 103	k 10,3	a 85	a 1,7
A _l 494	A _l 135,02	A _b 60	A _b 0,6	p 320	p 6,4
A _t 674	V 250,26	A _t 42,4	A _t 42,4	A _l 13600	A _l 8
X		V 6,18	V 6,18	A _t 200	V 1,28

Scheda n°7

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 62	p 28,8	c 15	c 3	a 20	l 2,4
A _b 234	A _b 51,84	p 36	p 7,2	p 96	a 2
A _l 744	A _l 227,52	A _b 54	A _b 2,16	A _b 576	A _b 5,76
A _t 1212	A _t 331,2	A _l 828	A _l 28,08	A _l 960	A _l 9,6
V 2808	V 409,536	A _t 9,36	A _t 32,4	A _t 15,36	A _t 15,36
X		V 1,242	V 8,424	V 3,072	V 3,072
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 18	b 6	b 44	b 4,4	k 28	k 4,8
p 32	p 23,2	p 132	p 13,2	p 168	a 6
A _b 64	A _b 33,6	A _b 726	A _b 7,26	A _b 1764	p 28,8
A _l 576	A _t 178,56	A _l 2508	A _l 40,92	A _l 2940	A _b 51,84
A _t 704	V 161,28	A _t 39,6	A _t 55,44	A _t 47,04	A _l 86,4
X		V 13,794	V 22,506	V 16,464	V 82,944
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 4	c 8,4	a 25	a 2,5	l 20	l 4
p 36	p 20,4	c 65	c 6,5	k 24	a 5,2
A _l 612	A _b 25,76	p 150	p 15	p 80	p 16
A _t 724	A _l 171,36	A _l 10350	A _l 109,5	A _l 1040	A _b 16
V 952	A _t 222,88	A _t 118,5	A _t 124,5	A _t 14,4	A _l 41,6
X		V 51,75	V 54,75	V 3,2	A _t 57,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 10	b 3,1	b 144	b 9,6	l 70	l 8
c 6	c 6,6	c 156	c 10,4	k 84	k 9,6
A _b 160	p 13,4	p 360	p 24	p 280	a 10,4
A _l 312	A _l 88,44	k 180	k 19,1	A _b 4900	p 32
V 960	A _t 110,76	A _l 64800	A _l 458,4	A _t 176,4	A _b 64
X		A _t 734,4	A _t 496,8	V 137,2	V 204,8
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 18	b 2,3	b 120	b 9	l 80	l 14,4
c 20	c 4,6	p 320	p 24	k 75	k 13,5
p 74	A _b 12,88	k 182	k 17,7	a 85	a 15,3
A _l 1480	A _l 72,68	A _b 3840	A _b 21,6	p 320	p 57,6
A _t 2164	V 59,248	A _t 659,2	A _t 468	A _l 13600	A _l 648
X		V 698,88	V 382,32	A _t 200	V 933,12

Scheda n°8

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 30	p 27,4	c 30	c 1	a 5	l 3,6
A _b 36	A _b 43,5	p 72	p 2,4	p 24	a 3
A _l 300	A _l 158,92	A _b 216	A _b 0,24	A _b 36	A _b 12,96
A _t 372	A _t 245,92	A _l 2808	A _l 3,12	A _l 60	A _l 21,6
V 360	V 252,3	A _t 32,4	A _t 3,6	A _t 0,96	A _t 34,56
X		V 8,424	V 0,312	V 0,048	V 10,368
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 17	b 4,9	b 44	b 3,6	k 28	k 3,2
p 42	p 15,4	p 132	p 10,8	p 168	a 4
A _b 98	A _b 13,72	A _b 726	A _b 4,86	A _b 1764	p 19,2
A _l 714	A _t 121,38	A _l 1452	A _l 41,04	A _l 2940	A _b 23,04
A _t 910	V 83,692	A _t 29,04	A _t 50,76	A _t 47,04	A _l 38,4
X		V 7,986	V 18,468	V 16,464	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 17	c 2	a 30	a 2,5	l 20	l 1
p 62	p 20	c 78	c 6,5	k 24	a 1,3
A _l 558	A _b 24,64	p 180	p 15	p 80	p 4
A _t 1034	A _l 40	A _l 12960	A _l 120	A _l 1040	A _b 1
V 2142	A _t 89,28	A _t 151,2	A _t 135	A _t 14,4	A _l 2,6
X		V 77,76	V 60	V 3,2	A _t 3,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 3	b 1,1	b 120	b 12	l 90	l 10
c 7	c 8,9	c 130	c 13	k 108	k 12
A _b 30	p 10,8	p 300	p 30	p 360	a 13
A _l 182	A _l 96,12	k 147	k 17,8	A _b 8100	p 40
V 210	A _t 105,58	A _l 44100	A _l 534	A _t 291,6	A _b 100
X		A _t 501	A _t 594	V 291,6	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 20	b 8	b 15	b 6	l 48	l 11,2
c 4	c 8,2	p 40	p 16	k 45	k 10,5
p 62	A _b 78,4	k 176	k 19,3	a 51	a 11,9
A _l 248	A _l 291,92	A _b 60	A _b 9,6	p 192	p 44,8
A _t 688	V 642,88	A _t 71,6	A _t 328	A _l 4896	A _t 392
X		V 10,56	V 185,28	A _t 72	V 439,04

Scheda n°9

Scheda n°10

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 66	p 26,8	c 5	c 0,5	a 30	l 3,6
A _b 270	A _b 38,64	p 12	p 1,2	p 144	a 3
A _l 1254	A _l 93,8	A _b 6	A _b 0,06	A _b 1296	A _b 12,96
A _t 1794	A _t 171,08	A _l 156	A _l 1,92	A _l 2160	A _l 21,6
V 5130	V 135,24	A _t 1,68	A _t 2,04	A _t 34,56	A _t 34,56
X		V 0,078	V 0,096	V 10,368	V 10,368
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 5	b 4	b 28	b 4	k 36	k 4,8
p 22	p 17,2	p 84	p 12	p 216	a 6
A _b 30	A _b 18,4	A _b 294	A _b 6	A _b 2916	p 28,8
A _l 110	A _l 150,32	A _l 4620	A _l 64,8	A _l 4860	A _b 51,84
A _t 170	V 121,44	A _t 52,08	A _t 76,8	A _t 77,76	A _l 86,4
X		V 16,17	V 32,4	V 34,992	V 82,944
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 5	c 5,4	a 30	a 3	l 50	l 5
p 32	p 21	c 78	c 7,8	k 60	a 6,5
A _l 192	A _b 27,5	p 180	p 18	p 200	p 20
A _t 302	A _l 113,4	A _l 8460	A _l 37,8	A _l 6500	A _b 25
V 330	A _t 168,4	A _t 106,2	A _t 59,4	A _t 90	A _l 65
X		V 50,76	V 22,68	V 50	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 16	b 1,5	b 144	b 8,4	l 110	l 8
c 8	c 4,2	c 156	c 9,1	k 132	k 9,6
A _b 64	p 15,8	p 360	p 21	p 440	a 10,4
A _l 320	A _l 66,36	k 193	k 19,2	A _b 12100	p 32
V 512	A _t 85,56	A _l 69480	A _l 403,2	A _l 435,6	A _b 64
X		A _t 781,2	A _t 432,6	V 532,4	V 204,8
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 17	b 9,6	b 60	b 15	l 128	l 3,2
c 9	c 9,9	p 160	p 40	k 120	k 3
p 74	A _b 64,32	k 148	k 16,4	a 136	a 3,4
A _l 666	A _l 322,74	A _b 960	A _b 60	p 512	p 12,8
A _t 1346	V 636,768	A _t 256	A _t 776	A _l 34816	A _l 32
X		V 142,08	V 984	A _t 512	V 10,24

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 46	p 15,4	c 15	c 2,5	a 10	l 1,8
A _b 132	A _b 12,1	p 36	p 6	p 48	a 1,5
A _l 828	A _l 147,84	A _b 54	A _b 1,5	A _b 144	A _b 3,24
A _t 1092	A _t 172,04	A _l 972	A _l 18	A _l 240	A _l 5,4
V 2376	V 116,16	A _t 10,8	A _t 21	A _t 3,84	A _t 8,64
X		V 1,458	V 4,5	V 0,384	V 1,296
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 11	b 4,6	b 36	b 2,8	k 36	k 4
p 26	p 21	p 108	p 8,4	p 216	a 5
A _b 42	A _b 27,14	A _b 486	A _b 2,94	A _b 2916	p 24
A _l 286	A _l 81,58	A _l 3456	A _l 32,76	A _l 4860	A _b 36
A _t 370	V 35,282	A _t 44,28	A _t 38,64	A _t 77,76	A _l 60
X		V 15,552	V 11,466	V 34,992	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 4	c 6,4	a 25	a 2	l 20	l 5
p 18	p 9	c 65	c 5,2	k 24	a 6,5
A _l 126	A _b 4,64	p 150	p 12	p 80	p 20
A _t 166	A _l 57,6	A _l 5250	A _l 26,4	A _l 1040	A _b 25
V 140	A _t 66,88	A _t 67,5	A _t 36	A _t 14,4	A _l 65
X		V 26,25	V 10,56	V 3,2	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 10	b 2,6	b 96	b 12	l 70	l 10
c 17	c 3	c 104	c 13	k 84	k 12
A _b 80	p 13,8	p 240	p 30	p 280	a 13
A _l 612	A _l 41,4	k 175	k 17,2	A _b 4900	p 40
V 1360	A _t 63,76	A _l 42000	A _l 516	A _t 176,4	A _b 100
X		A _t 458,4	A _t 576	V 137,2	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 17	b 9	b 15	b 6	l 112	l 16
c 6	c 8,1	p 40	p 16	k 105	k 15
p 64	A _b 80,1	k 104	k 15,8	a 119	a 17
A _l 384	A _l 289,98	A _b 60	A _b 9,6	p 448	p 64
A _t 894	V 648,81	A _t 42,8	A _t 272	A _l 26656	A _t 800
X		V 6,24	V 151,68	A _t 392	V 1280

Scheda n°11

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 54	p 24,4	c 30	c 3	a 15	l 1,2
A _b 176	A _b 33,6	p 72	p 7,2	p 72	a 1
A _l 648	A _l 178,12	A _b 216	A _b 2,16	A _b 324	A _b 1,44
A _t 1000	A _t 245,32	A _l 936	A _l 22,32	A _l 540	A _l 2,4
V 2112	V 245,28	A _t 13,68	A _t 26,64	A _t 8,64	A _t 3,84
X		V 2,808	V 6,696	V 1,296	V 0,384
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 5	b 5,4	b 48	b 4,8	k 28	k 2,8
p 66	p 23,8	p 144	p 14,4	p 168	a 3,5
A _b 270	A _b 35,1	A _b 864	A _b 8,64	A _b 1764	p 16,8
A _l 330	A _l 110,66	A _l 6336	A _l 46,08	A _l 2940	A _b 17,64
A _t 870	V 59,67	A _t 80,64	A _t 63,36	A _t 47,04	A _l 29,4
X		V 38,016	V 27,648	V 16,464	V 16,464
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 6	c 5,6	a 30	a 2	l 30	l 6
p 32	p 15,6	c 78	c 5,2	k 36	a 7,8
A _l 544	A _b 13,52	p 180	p 12	p 120	p 24
A _t 664	A _l 87,36	A _l 9900	A _l 50,4	A _l 2340	A _b 36
V 1020	A _t 114,4	A _t 120,6	A _t 60	A _t 32,4	A _l 93,6
X		V 59,4	V 20,16	V 10,8	A _l 129,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 17	b 1,6	b 84	b 13,2	l 70	l 11
c 18	c 2,2	c 91	c 14,3	k 84	k 13,2
A _b 119	p 21,8	p 210	p 33	p 280	a 14,3
A _l 864	A _l 47,96	k 199	k 12,6	A _b 4900	p 44
V 2142	A _t 77,72	A _l 41790	A _l 415,8	A _l 176,4	A _b 121
X		A _t 447,3	A _t 488,4	V 137,2	V 532,4
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 15	b 4	b 75	b 3	l 144	l 17,6
c 15	c 6,8	p 200	p 8	k 135	k 16,5
p 68	A _b 25,2	k 183	k 15,1	a 153	a 18,7
A _l 1020	A _l 140,08	A _b 1500	A _b 2,4	p 576	p 70,4
A _t 1590	V 171,36	A _t 396	A _t 125,6	A _l 44064	A _l 968
X		V 274,5	V 36,24	A _t 648	V 1703,68

Scheda n°12

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 42	p 28	c 30	c 1	a 5	l 3
A _b 104	A _b 48,96	p 72	p 2,4	p 24	a 2,5
A _l 294	A _l 268,8	A _b 216	A _b 0,24	A _b 36	A _b 9
A _t 502	A _t 366,72	A _l 2376	A _l 4,08	A _l 60	A _l 15
V 728	V 470,016	A _t 28,08	A _t 4,56	A _t 0,96	A _t 24
X		V 7,128	V 0,408	V 0,048	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 3	b 3,3	b 36	b 4,4	k 36	k 3,2
p 56	p 24,8	p 108	p 13,2	p 216	a 4
A _b 160	A _b 30,03	A _b 486	A _b 7,26	A _b 2916	p 19,2
A _l 168	A _l 141,9	A _l 5400	A _l 44,88	A _l 4860	A _b 23,04
A _t 488	V 99,099	A _t 63,72	A _t 59,4	A _t 77,76	A _l 38,4
X		V 24,3	V 24,684	V 34,992	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 7	c 7,4	a 20	a 2	l 30	l 5
p 36	p 16	c 52	c 5,2	k 36	a 6,5
A _l 720	A _b 14,31	p 120	p 12	p 120	p 20
A _t 874	A _l 118,4	A _l 8160	A _l 80,4	A _l 2340	A _b 25
V 1540	A _l 147,02	A _t 91,2	A _t 90	A _t 32,4	A _l 65
X		V 32,64	V 32,16	V 10,8	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 19	b 2,6	b 120	b 14,4	l 80	l 8
c 15	c 3,2	c 130	c 15,6	k 96	k 9,6
A _b 171	p 24,8	p 300	p 36	p 320	a 10,4
A _l 840	A _l 79,36	k 181	k 16,2	A _b 6400	p 32
V 2565	A _l 130,32	A _l 54300	A _l 583,2	A _t 230,4	A _b 64
X		A _t 603	A _t 669,6	V 204,8	V 204,8
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 17	b 8,1	b 60	b 4,5	l 96	l 6,4
c 5	c 1,9	p 160	p 12	k 90	k 6
p 46	A _b 74,52	k 121	k 18,6	a 102	a 6,8
A _l 230	A _l 65,74	A _b 960	A _b 5,4	p 384	p 25,6
A _t 434	V 141,588	A _l 212,8	A _l 234	A _l 19584	A _l 128
X		V 116,16	V 100,44	A _t 288	V 81,92

Scheda n°13

Scheda n°14

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 52	p 20	c 20	c 1,5	a 15	l 3
A _b 160	A _b 16,59	p 48	p 3,6	p 72	a 2,5
A _l 988	A _l 50	A _b 96	A _b 0,54	A _b 324	A _b 9
A _t 1308	A _t 83,18	A _l 1344	A _l 7,56	A _l 540	A _l 15
V 3040	V 41,475	A _t 15,36	A _t 8,64	A _t 8,64	A _t 24
X		V 2,688	V 1,134	V 1,296	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 10	b 6,1	b 36	b 4	k 28	k 4,4
p 40	p 29,8	p 108	p 12	p 168	a 5,5
A _b 51	A _b 53,68	A _b 486	A _b 6	A _b 1764	p 26,4
A _l 400	A _l 265,3	A _l 6480	A _l 60	A _l 2940	A _b 43,56
A _t 502	V 284,504	A _t 74,52	A _t 72	A _t 47,04	A _l 72,6
X		V 29,16	V 30	V 16,464	V 63,888
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 13	c 3,3	a 5	a 3	l 50	l 3
p 44	p 24,4	c 13	c 7,8	k 60	a 3,9
A _l 176	A _b 28,21	p 30	p 18	p 200	p 12
A _t 410	A _l 80,52	A _l 1920	A _l 28,8	A _l 6500	A _b 9
V 468	A _t 136,94	A _t 19,8	A _t 50,4	A _t 90	A _l 23,4
X		V 1,92	V 17,28	V 50	A _t 32,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 16	b 5	b 108	b 9,6	l 90	l 7
c 15	c 2,9	c 117	c 10,4	k 108	k 8,4
A _b 224	p 17,4	p 270	p 24	p 360	a 9,1
A _l 900	A _l 50,46	k 105	k 15,2	A _b 8100	p 28
V 3360	A _t 87,46	A _l 28350	A _l 364,8	A _t 291,6	A _b 49
X		A _t 332,1	A _t 403,2	V 291,6	V 137,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 9	b 9,7	b 60	b 7,5	l 160	l 16
c 4	c 9,6	p 160	p 20	k 150	k 15
p 46	A _b 63,05	k 110	k 17,5	a 170	a 17
A _l 184	A _l 311,04	A _b 960	A _b 15	p 640	p 64
A _t 436	V 605,28	A _t 195,2	A _t 380	A _l 54400	A _l 800
X		V 105,6	V 262,5	A _t 800	V 1280

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 70	p 11,6	c 25	c 1	a 10	l 3
A _b 300	A _b 7,2	p 60	p 2,4	p 48	a 2,5
A _l 350	A _l 104,4	A _b 150	A _b 0,24	A _b 144	A _b 9
A _t 950	A _t 118,8	A _l 1020	A _l 9,6	A _l 240	A _l 15
V 1500	V 64,8	A _t 13,2	A _t 10,08	A _t 3,84	A _t 24
X		V 2,55	V 0,96	V 0,384	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 3	b 5	b 40	b 3,2	k 32	k 3,6
p 36	p 28,2	p 120	p 9,6	p 192	a 4,5
A _b 80	A _b 45,5	A _b 600	A _b 3,84	A _b 2304	p 21,6
A _l 108	A _t 158,68	A _l 4440	A _l 17,28	A _l 3840	A _b 29,16
A _t 268	V 109,2	A _t 56,4	A _t 24,96	A _t 61,44	A _l 48,6
X		V 22,2	V 6,912	V 24,576	V 34,992
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 6	c 3,8	a 20	a 2	l 30	l 5
p 20	p 15	c 52	c 5,2	k 36	a 6,5
A _l 200	A _b 12,96	p 120	p 12	p 120	p 20
A _t 248	A _l 57	A _l 4200	A _l 57,6	A _l 2340	A _b 25
V 240	A _t 82,92	A _t 51,6	A _t 67,2	A _t 32,4	A _l 65
X		V 16,8	V 23,04	V 10,8	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 7	b 6,6	b 84	b 13,2	l 90	l 12
c 14	c 9,1	c 91	c 14,3	k 108	k 14,4
A _b 133	p 28,2	p 210	p 33	p 360	a 15,6
A _l 728	A _l 256,62	k 169	k 15	A _b 8100	p 48
V 1862	A _t 355,62	A _l 35490	A _l 495	A _t 291,6	A _b 144
X		A _t 384,3	A _t 567,6	V 291,6	V 691,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 20	b 2,2	b 45	b 3	l 112	l 16
c 6	c 5,3	p 120	p 8	k 105	k 15
p 60	A _b 11,66	k 182	k 15,7	a 119	a 17
A _l 360	A _l 79,5	A _b 540	A _b 2,4	p 448	p 64
A _t 760	V 61,798	A _t 229,2	A _t 130,4	A _l 26656	A _l 800
X		V 98,28	V 37,68	A _t 392	V 1280

Scheda n°15

Scheda n°16

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 34	p 12,4	c 25	c 2,5	a 25	l 2,4
A _b 70	A _b 7,05	p 60	p 6	p 120	a 2
A _l 544	A _l 86,8	A _b 150	A _b 1,5	A _b 900	A _b 5,76
A _t 684	A _t 100,9	A _l 720	A _l 9	A _l 1500	A _l 9,6
V 1120	V 49,35	A _t 10,2	A _t 12	A _t 24	A _t 15,36
X		V 1,8	V 2,25	V 6	V 3,072
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 9	b 7	b 28	b 3,6	k 44	k 4,8
p 64	p 27,4	p 84	p 10,8	p 264	a 6
A _b 252	A _b 46,9	A _b 294	A _b 4,86	A _b 4356	p 28,8
A _l 576	A _l 244,5	A _l 2856	A _l 24,84	A _l 7260	A _b 51,84
A _t 1080	V 257,95	A _t 34,44	A _t 34,56	A _t 116,16	A _l 86,4
X		V 9,996	V 11,178	V 63,888	V 82,944
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 14	c 7,8	a 25	a 3	l 60	l 2
p 36	p 25,4	c 65	c 7,8	k 72	a 2,6
A _l 180	A _b 36,12	p 150	p 18	p 240	p 8
A _t 292	A _l 198,12	A _l 3450	A _l 23,4	A _l 9360	A _b 4
V 280	A _t 270,36	A _t 49,5	A _t 45	A _t 129,6	A _l 10,4
X		V 17,25	V 14,04	V 86,4	A _l 14,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 11	b 2,6	b 96	b 14,4	l 100	l 10
c 7	c 6,8	c 104	c 15,6	k 120	k 12
A _b 198	p 14,6	p 240	p 36	p 400	a 13
A _l 406	A _l 99,28	k 139	k 10,8	A _b 10000	p 40
V 1386	A _t 123,72	A _l 33360	A _l 388,8	A _t 360	A _b 100
X		A _t 372	A _t 475,2	V 400	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 7	b 3,3	b 150	b 10,5	l 128	l 3,2
c 8	c 6,9	p 400	p 28	k 120	k 3
p 32	A _b 13,86	k 159	k 10,1	a 136	a 3,4
A _l 256	A _l 103,5	A _b 6000	A _b 29,4	p 512	p 12,8
A _t 382	V 95,634	A _t 756	A _t 341,6	A _l 34816	A _l 32
X		V 954	V 296,94	A _t 512	V 10,24

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 48	p 25,6	c 20	c 2,5	a 30	l 1,8
A _b 108	A _b 37,72	p 48	p 6	p 144	a 1,5
A _l 528	A _l 217,6	A _b 96	A _b 1,5	A _b 1296	A _b 3,24
A _t 744	A _t 293,04	A _l 1680	A _l 16,8	A _l 2160	A _l 5,4
V 1188	V 320,62	A _t 18,72	A _t 19,8	A _t 34,56	A _t 8,64
X		V 3,36	V 4,2	V 10,368	V 1,296
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 5	b 4	b 28	b 4,8	k 36	k 3,6
p 66	p 11,6	p 84	p 14,4	p 216	a 4,5
A _b 272	A _b 7,2	A _b 294	A _b 8,64	A _b 2916	p 21,6
A _l 330	A _l 126,92	A _l 2268	A _l 84,96	A _l 4860	A _b 29,16
A _t 874	V 69,84	A _t 28,56	A _t 102,24	A _t 77,76	A _l 48,6
X		V 7,938	V 50,976	V 34,992	V 34,992
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 9	c 9,4	a 20	a 0,5	l 50	l 4
p 50	p 35,8	c 52	c 1,3	k 60	a 5,2
A _l 550	A _b 80,08	p 120	p 3	p 200	p 16
A _t 838	A _l 336,52	A _l 8760	A _l 14,4	A _l 6500	A _b 16
V 1584	A _t 496,68	A _t 97,2	A _t 15	A _t 90	A _l 41,6
X		V 35,04	V 1,44	V 50	A _t 57,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 20	b 8,5	b 144	b 9,6	l 90	l 8
c 8	c 1,8	c 156	c 10,4	k 108	k 9,6
A _b 360	p 26,4	p 360	p 24	p 360	a 10,4
A _l 608	A _l 47,52	k 147	k 13,4	A _b 8100	p 32
V 2880	A _t 127,42	A _l 52920	A _l 321,6	A _t 291,6	A _b 64
X		A _t 615,6	A _t 360	V 291,6	V 204,8
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 12	b 2,6	b 30	b 12	l 48	l 17,6
c 9	c 5,3	p 80	p 32	k 45	k 16,5
p 36	A _b 16,38	k 128	k 14	a 51	a 18,7
A _l 324	A _l 94,34	A _b 240	A _b 38,4	p 192	p 70,4
A _t 468	V 86,814	A _l 107,2	A _l 524,8	A _l 4896	A _l 968
X		V 30,72	V 537,6	A _t 72	V 1703,68

Scheda n°17

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 64	p 23,8	c 5	c 1,5	a 20	l 0,6
A _b 240	A _b 31,2	p 12	p 3,6	p 96	a 0,5
A _l 704	A _l 57,12	A _b 6	A _b 0,54	A _b 576	A _b 0,36
A _t 1184	A _t 119,52	A _l 312	A _l 5,76	A _l 960	A _l 0,6
V 2640	V 74,88	A _t 3,24	A _t 6,84	A _t 15,36	A _t 0,96
X		V 0,156	V 0,864	V 3,072	V 0,048
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 15	b 8,7	b 28	b 2,8	k 32	k 4,4
p 68	p 34	p 84	p 8,4	p 192	a 5,5
A _b 285	A _b 72,21	A _b 294	A _b 2,94	A _b 2304	p 26,4
A _l 1020	A _l 453,82	A _l 2100	A _l 36,12	A _l 3840	A _b 43,56
A _t 1590	V 657,111	A _t 26,88	A _t 42	A _t 61,44	A _l 72,6
X		V 7,35	V 12,642	V 24,576	V 63,888
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 6	c 6	a 20	a 1,5	l 20	l 1
p 32	p 9,8	c 52	c 3,9	k 24	a 1,3
A _l 192	A _b 4,68	p 120	p 9	p 80	p 4
A _t 312	A _l 58,8	A _l 3600	A _l 35,1	A _l 1040	A _b 1
V 360	A _t 68,16	A _t 45,6	A _t 40,5	A _t 14,4	A _l 2,6
X		V 14,4	V 10,53	V 3,2	A _t 3,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 10	b 1,7	b 84	b 10,8	l 70	l 10
c 15	c 1,4	c 91	c 11,7	k 84	k 12
A _b 90	p 18	p 210	p 27	p 280	a 13
A _l 570	A _l 25,2	k 142	k 14,5	A _b 4900	p 40
V 1350	A _t 50,02	A _l 29820	A _l 391,5	A _t 176,4	A _b 100
X		A _t 327,6	A _t 440,1	V 137,2	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 11	b 5,8	b 135	b 1,5	l 160	l 17,6
c 16	c 7,4	p 360	p 4	k 150	k 16,5
p 50	A _b 16,24	k 150	k 16,7	a 170	a 18,7
A _l 800	A _l 127,28	A _b 4860	A _b 0,6	p 640	p 70,4
A _t 1108	V 120,176	A _t 637,2	A _t 68	A _l 54400	A _l 968
X		V 729	V 10,02	A _t 800	V 1703,68

Scheda n°18

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 66	p 15,6	c 30	c 1,5	a 10	l 3
A _b 272	A _b 12,96	p 72	p 3,6	p 48	a 2,5
A _l 264	A _l 23,4	A _b 216	A _b 0,54	A _b 144	A _b 9
A _t 808	A _t 49,32	A _l 1728	A _l 11,16	A _l 240	A _l 15
V 1088	V 19,44	A _t 21,6	A _t 12,24	A _t 3,84	A _t 24
X		V 5,184	V 1,674	V 0,384	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 19	b 1,4	b 48	b 4,8	k 28	k 3,2
p 76	p 5	p 144	p 14,4	p 168	a 4
A _b 360	A _b 1,54	A _b 864	A _b 8,64	A _b 1764	p 19,2
A _l 1444	A _l 36,08	A _l 6048	A _l 59,04	A _l 2940	A _b 23,04
A _t 2164	V 10,164	A _t 77,76	A _t 76,32	A _t 47,04	A _l 38,4
X		V 36,288	V 35,424	V 16,464	V 24,576
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 5	c 3,2	a 15	a 2,5	l 60	l 2
p 36	p 24,6	c 39	c 6,5	k 72	a 2,6
A _l 720	A _b 35,72	p 90	p 15	p 240	p 8
A _t 850	A _l 78,72	A _l 4500	A _l 117	A _l 9360	A _b 4
V 1300	A _t 150,16	A _t 50,4	A _t 132	A _t 129,6	A _l 10,4
X		V 13,5	V 58,5	V 86,4	A _t 14,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 15	b 7,5	b 144	b 8,4	l 90	l 9
c 9	c 9,3	c 156	c 9,1	k 108	k 10,8
A _b 165	p 23,8	p 360	p 21	p 360	a 11,7
A _l 468	A _l 221,34	k 172	k 16,9	A _b 8100	p 36
V 1485	A _t 287,34	A _l 61920	A _l 354,9	A _t 291,6	A _b 81
X		A _t 705,6	A _t 384,3	V 291,6	V 291,6
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 13	b 4,7	b 105	b 15	l 32	l 4,8
c 8	c 2,4	p 280	p 40	k 30	k 4,5
p 36	A _b 21,15	k 151	k 12,2	a 34	a 5,1
A _l 288	A _l 44,16	A _b 2940	A _b 60	p 128	p 19,2
A _t 418	V 50,76	A _t 481,6	A _t 608	A _l 2176	A _l 72
X		V 443,94	V 732	A _t 32	V 34,56

Scheda n°19

parallelepipedo		prisma retto		piramide regolare							
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26						
p	74	p	26	c	30	c	2	a	25	l	3,6
A _b	342	A _b	33,84	p	72	p	4,8	p	120	a	3
A _l	1258	A _l	59,8	A _b	216	A _b	0,96	A _b	900	A _b	12,96
A _t	1942	A _t	127,48	A _l	2736	A _l	12	A _l	1500	A _l	21,6
V	5814	V	77,832	A _t	31,68	A _t	13,92	A _t	24	A _t	34,56
X		X		X		X		X		X	
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27						
c	19	b	4,8	b	36	b	4,8	k	36	k	3,6
p	48	p	16,6	p	108	p	14,4	p	216	a	4,5
A _b	108	A _b	16,8	A _b	486	A _b	8,64	A _b	2916	p	21,6
A _l	912	A _l	173,04	A _l	4428	A _l	44,64	A _l	4860	A _b	29,16
A _t	1128	V	141,12	A _t	54	A _t	61,92	A _t	77,76	A _l	48,6
X		X		X		X		X		X	
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28						
b	15	c	3,1	a	30	a	0,5	l	50	l	1
p	52	p	36,4	c	78	c	1,3	k	60	a	1,3
A _l	260	A _b	82,8	p	180	p	3	p	200	p	4
A _t	590	A _l	112,84	A _l	1980	A _l	21,3	A _l	6500	A _b	1
V	825	A _t	278,44	A _t	41,4	A _t	21,9	A _t	90	A _l	2,6
X		X		X		X		X		X	
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29						
b	4	b	8,3	l	100	l	9				
c	3	c	4,4	k	120	k	10,8				
A _b	64	p	32,2	p	400	a	11,7				
A _l	120	A _l	141,68	A _b	10000	p	36				
V	192	A _t	271,16	A _l	360	A _b	81				
X		X		X		X		X		X	
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30						
b	19	b	1,9	l	80	l	11,2				
c	12	c	9,3	k	75	k	10,5				
p	56	A _b	11,21	a	85	a	11,9				
A _l	672	A _l	145,08	p	320	p	44,8				
A _t	1014	V	104,253	A _l	13600	A _l	392				
X		X		X		X		X		X	
X		X		X		X		X		X	

Scheda n°20

parallelepipedo		prisma retto		piramide regolare							
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26						
p	32	p	21	c	10	c	0,5	a	20	l	0,6
A _b	39	A _b	26,46	p	24	p	1,2	p	96	a	0,5
A _l	512	A _l	86,1	A _b	24	A _b	0,06	A _b	576	A _b	0,36
A _t	590	A _t	139,02	A _l	336	A _l	1,68	A _l	960	A _l	0,6
V	624	V	108,486	A _t	3,84	A _t	1,8	A _t	15,36	A _t	0,96
X		X		X		X		X		X	
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27						
c	5	b	4,8	b	28	b	2,8	k	32	k	4
p	44	p	22,6	p	84	p	8,4	p	192	a	5
A _b	117	A _b	31,2	A _b	294	A _b	2,94	A _b	2304	p	24
A _l	220	A _l	238,68	A _l	3444	A _l	22,68	A _l	3840	A _b	36
A _t	454	V	243,36	A _t	40,32	A _t	28,56	A _t	61,44	A _l	60
X		X		X		X		X		X	
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28						
b	9	c	1,8	a	5	a	0,5	l	30	l	1
p	24	p	26	c	13	c	1,3	k	36	a	1,3
A _l	144	A _b	41,76	p	30	p	3	p	120	p	4
A _t	198	A _l	46,8	A _l	1470	A _l	9,6	A _l	2340	A _b	1
V	162	A _t	130,32	A _t	15,3	A _t	10,2	A _t	32,4	A _l	2,6
X		X		X		X		X		X	
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29						
b	18	b	5,8	l	90	l	7				
c	8	c	3	k	108	k	8,4				
A _b	252	p	31,4	p	360	a	9,1				
A _l	512	A _l	94,2	A _b	8100	p	28				
V	2016	A _t	209,04	A _l	291,6	A _b	49				
X		X		X		X		X		X	
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30						
b	3	b	3,6	l	128	l	12,8				
c	9	c	5,2	k	120	k	12				
p	20	A _b	25,92	a	136	a	13,6				
A _l	180	A _l	112,32	p	512	p	51,2				
A _t	222	V	134,784	A _l	34816	A _l	512				
X		X		X		X		X		X	
X		X		X		X		X		X	

Scheda n°21

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 52	p 31,4	c 25	c 1,5	a 25	l 3
A _b 133	A _b 61,32	p 60	p 3,6	p 120	a 2,5
A _l 728	A _l 241,78	A _b 150	A _b 0,54	A _b 900	A _b 9
A _t 994	A _t 364,42	A _l 2220	A _l 14,4	A _l 1500	A _l 15
V 1862	V 472,164	A _t 25,2	A _t 15,48	A _t 24	A _t 24
X		V 5,55	V 2,16	V 6	V 6
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 8	b 1,6	b 48	b 4	k 40	k 4
p 44	p 14,8	p 144	p 12	p 240	a 5
A _b 105	A _b 9,28	A _b 864	A _b 6	A _b 3600	p 24
A _l 352	A _t 128,08	A _l 1584	A _l 42	A _l 6000	A _b 36
A _t 562	V 68,672	A _t 33,12	A _t 54	A _t 96	A _l 60
X		V 9,504	V 21	V 48	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 17	c 2,9	a 15	a 0,5	l 30	l 1
p 66	p 5	c 39	c 1,3	k 36	a 1,3
A _l 594	A _b 1,54	p 90	p 3	p 120	p 4
A _t 1138	A _l 14,5	A _l 990	A _l 14,7	A _l 2340	A _b 1
V 2448	A _t 17,58	A _t 15,3	A _t 15,3	A _t 32,4	A _l 2,6
X		V 2,97	V 1,47	V 10,8	A _t 3,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 19	b 7,3	b 108	b 13,2	l 90	l 9
c 7	c 3,1	c 117	c 14,3	k 108	k 10,8
A _b 209	p 26,6	p 270	p 33	p 360	a 11,7
A _l 420	A _l 82,46	k 154	k 16,6	A _b 8100	p 36
V 1463	A _t 170,06	A _l 41580	A _l 547,8	A _t 291,6	A _b 81
X		A _t 464,4	A _t 620,4	V 291,6	V 291,6
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 15	b 4,2	b 165	b 6	l 64	l 1,6
c 6	c 5,9	p 440	p 16	k 60	k 1,5
p 52	A _b 16,8	k 172	k 13,1	a 68	a 1,7
A _l 312	A _l 96,76	A _b 7260	A _b 9,6	p 256	p 6,4
A _t 642	V 99,12	A _t 902	A _t 228,8	A _l 8704	A _l 8
X		V 1249	V 125,76	A _t 128	V 1,28

Scheda n°22

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 52	p 18,6	c 30	c 3	a 10	l 1,8
A _b 133	A _b 14,06	p 72	p 7,2	p 48	a 1,5
A _l 312	A _l 132,06	A _b 216	A _b 2,16	A _b 144	A _b 3,24
A _t 578	A _t 160,18	A _l 792	A _l 23,04	A _l 240	A _l 5,4
V 798	V 99,826	A _t 12,24	A _t 27,36	A _t 3,84	A _t 8,64
X		V 2,376	V 6,912	V 0,384	V 1,296
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 11	b 8,9	b 44	b 4,4	k 44	k 4,4
p 46	p 25,8	p 132	p 13,2	p 264	a 5,5
A _b 126	A _b 35,6	A _b 726	A _b 7,26	A _b 4356	p 26,4
A _l 506	A _t 133,12	A _l 3300	A _l 47,52	A _l 7260	A _b 43,56
A _t 758	V 85,44	A _t 47,52	A _t 62,04	A _t 116,16	A _l 72,6
X		V 18,15	V 26,136	V 63,888	V 63,888
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 3	c 7	a 15	a 1	l 50	l 2
p 22	p 19,8	c 39	c 2,6	k 60	a 2,6
A _l 264	A _b 22,68	p 90	p 6	p 200	p 8
A _t 312	A _l 138,6	A _l 3150	A _l 13,2	A _l 6500	A _b 4
V 288	A _t 183,96	A _t 36,9	A _t 15,6	A _t 90	A _l 10,4
X		V 9,45	V 2,64	V 50	A _t 14,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 11	b 3,8	b 96	b 10,8	l 90	l 10
c 13	c 8,9	c 104	c 11,7	k 108	k 12
A _b 88	p 17,6	p 240	p 27	p 360	a 13
A _l 494	A _l 156,64	k 141	k 12,7	A _b 8100	p 40
V 1144	A _t 194,64	A _l 33840	A _l 342,9	A _t 291,6	A _b 100
X		A _t 376,8	A _t 391,5	V 291,6	V 400
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 9	b 6,2	b 90	b 10,5	l 32	l 6,4
c 7	c 5,1	p 240	p 28	k 30	k 6
p 44	A _b 52,08	k 124	k 15,7	a 34	a 6,8
A _l 308	A _l 148,92	A _b 2160	A _b 29,4	p 128	p 25,6
A _t 542	V 265,608	A _t 340,8	A _t 498,4	A _l 2176	A _t 128
X		V 267,84	V 461,58	A _t 32	V 81,92

Scheda n°23

Scheda n°24

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 20	p 23,2	c 30	c 3	a 10	l 1,2
A _b 21	A _b 26,88	p 72	p 7,2	p 48	a 1
A _l 160	A _l 25,52	A _b 216	A _b 2,16	A _b 144	A _b 1,44
A _t 202	A _t 79,28	A _l 2160	A _l 28,8	A _l 240	A _l 2,4
V 168	V 29,568	A _t 25,92	A _t 33,12	A _t 3,84	A _t 3,84
X		V 6,48	V 8,64	V 0,384	V 0,384
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 10	b 8,9	b 28	b 3,2	k 48	k 4,8
p 60	p 31,8	p 84	p 9,6	p 288	a 6
A _b 224	A _b 62,3	A _b 294	A _b 3,84	A _b 5184	p 28,8
A _l 600	A _t 337,66	A _l 4620	A _l 20,16	A _l 8640	A _b 51,84
A _t 1048	V 417,41	A _t 52,08	A _t 27,84	A _t 138,24	A _l 86,4
X		V 16,17	V 8,064	V 82,944	V 82,944
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 4	c 8,6	a 5	a 2	l 50	l 5
p 28	p 31	c 13	c 5,2	k 60	a 6,5
A _l 364	A _b 59,34	p 30	p 12	p 200	p 20
A _t 444	A _l 266,6	A _l 1470	A _l 68,4	A _l 6500	A _b 25
V 520	A _t 385,28	A _t 15,3	A _t 78	A _t 90	A _l 65
X		V 1,47	V 27,36	V 50	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 16	b 2	b 120	b 12	l 100	l 11
c 7	c 4,2	c 130	c 13	k 120	k 13,2
A _b 256	p 11,8	p 300	p 30	p 400	a 14,3
A _l 448	A _l 49,56	k 174	k 16,9	A _b 10000	p 44
V 1792	A _t 65,16	A _l 52200	A _l 507	A _t 360	A _b 121
X		A _t 582	A _t 567	V 400	V 532,4
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 15	b 8,1	b 105	b 9	l 112	l 11,2
c 7	c 5,1	p 280	p 24	k 105	k 10,5
p 58	A _b 71,28	k 184	k 10,9	a 119	a 11,9
A _l 406	A _l 172,38	A _b 2940	A _b 21,6	p 448	p 44,8
A _t 826	V 363,528	A _t 574	A _t 304,8	A _l 26656	A _l 392
X		V 540,96	V 235,44	A _t 392	V 439,04

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 36	p 26,4	c 20	c 2,5	a 30	l 3,6
A _b 81	A _b 39,56	p 48	p 6	p 144	a 3
A _l 360	A _l 224,4	A _b 96	A _b 1,5	A _b 1296	A _b 12,96
A _t 522	A _t 303,52	A _l 1200	A _l 18	A _l 2160	A _l 21,6
V 810	V 336,26	A _t 13,92	A _t 21	A _t 34,56	A _t 34,56
X		V 2,4	V 4,5	V 10,368	V 10,368
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 3	b 8,5	b 32	b 3,2	k 28	k 3,6
p 48	p 27,8	p 96	p 9,6	p 168	a 4,5
A _b 80	A _b 45,9	A _b 384	A _b 3,84	A _b 1764	p 21,6
A _l 144	A _t 155,74	A _l 4896	A _l 17,28	A _l 2940	A _b 29,16
A _t 304	V 105,57	A _t 56,64	A _t 24,96	A _t 47,04	A _l 48,6
X		V 19,584	V 6,912	V 16,464	V 34,992
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 10	c 3,7	a 5	a 1	l 60	l 4
p 60	p 16,6	c 13	c 2,6	k 72	a 5,2
A _l 960	A _b 15,66	p 30	p 6	p 240	p 16
A _t 1360	A _l 61,42	A _l 660	A _l 30	A _l 9360	A _b 16
V 3200	A _t 92,74	A _t 7,2	A _t 32,4	A _t 129,6	A _l 41,6
X		V 0,66	V 6	V 86,4	A _t 57,6
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 6	b 8,2	b 144	b 14,4	l 80	l 12
c 7	c 6	c 156	c 15,6	k 96	k 14,4
A _b 72	p 32,2	p 360	p 36	p 320	a 15,6
A _l 252	A _l 193,2	k 142	k 16,3	A _b 6400	p 48
V 504	A _t 322,76	A _l 51120	A _l 586,8	A _t 230,4	A _b 144
X		A _t 597,6	A _t 673,2	V 204,8	V 691,2
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 15	b 4,9	b 60	b 9	l 32	l 3,2
c 10	c 6,4	p 160	p 24	k 30	k 3
p 46	A _b 35,28	k 108	k 10,5	a 34	a 3,4
A _l 460	A _l 154,88	A _b 960	A _b 21,6	p 128	p 12,8
A _t 700	V 225,792	A _t 192	A _t 295,2	A _l 2176	A _t 32
X		V 103,68	V 226,8	A _t 32	V 10,24

Scheda n°25

Scheda n°26

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 18	p 29,8	c 20	c 0,5	a 20	l 3,6
A _b 18	A _b 52,78	p 48	p 1,2	p 96	a 3
A _l 108	A _l 289,06	A _b 96	A _b 0,06	A _b 576	A _b 12,96
A _t 144	A _t 394,62	A _l 1920	A _l 3	A _l 960	A _l 21,6
V 108	V 511,966	A _t 21,12	A _t 3,12	A _t 15,36	A _t 34,56
X		V 3,84	V 0,15	V 3,072	V 10,368
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 10	b 8,5	b 32	b 3,2	k 36	k 4
p 46	p 24,8	p 96	p 9,6	p 216	a 5
A _b 90	A _b 33,15	A _b 384	A _b 3,84	A _b 2916	p 24
A _l 460	A _l 262,22	A _l 5088	A _l 45,12	A _l 4860	A _b 36
A _t 640	V 261,885	A _t 58,56	A _t 52,8	A _t 77,76	A _l 60
X		V 20,352	V 18,048	V 34,992	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 8	c 5,7	a 15	a 1	l 40	l 3
p 52	p 15,2	c 39	c 2,6	k 48	a 3,9
A _l 624	A _b 11,88	p 90	p 6	p 160	p 12
A _t 912	A _l 86,64	A _l 1350	A _l 36,6	A _l 4160	A _b 9
V 1728	A _t 110,4	A _t 18,9	A _t 39	A _t 57,6	A _l 23,4
X		V 4,05	V 7,32	V 25,6	A _l 32,4
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 11	b 4,2	b 84	b 9,6	l 110	l 11
c 12	c 8,7	c 91	c 10,4	k 132	k 13,2
A _b 176	p 18,6	p 210	p 24	p 440	a 14,3
A _l 648	A _l 161,82	k 168	k 12,4	A _b 12100	p 44
V 2112	A _t 204,66	A _l 35280	A _l 297,6	A _l 435,6	A _b 121
X		A _t 382,2	A _t 336	V 532,4	V 532,4
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 13	b 7,2	b 165	b 12	l 176	l 9,6
c 18	c 9,8	p 440	p 32	k 165	k 9
p 46	A _b 69,84	k 156	k 11	a 187	a 10,2
A _l 828	A _l 331,24	A _b 7260	A _b 38,4	p 704	p 38,4
A _t 1088	V 684,432	A _t 831,6	A _t 428,8	A _l 65824	A _l 288
X		V 1133	V 422,4	A _t 968	V 276,48

parallelepipedo		prisma retto		piramide regolare	
Es. 1	Es. 6	Es. 11	Es. 16	Es. 21	Es. 26
p 34	p 24,2	c 30	c 1,5	a 25	l 1,8
A _b 72	A _b 33,54	p 72	p 3,6	p 120	a 1,5
A _l 408	A _l 183,92	A _b 216	A _b 0,54	A _b 900	A _b 3,24
A _t 552	A _t 251	A _l 2160	A _l 9	A _l 1500	A _l 5,4
V 864	V 254,904	A _t 25,92	A _t 10,08	A _t 24	A _t 8,64
X		V 6,48	V 1,35	V 6	V 1,296
Es. 2	Es. 7	Es. 12	Es. 17	Es. 22	Es. 27
c 13	b 6,4	b 36	b 4,4	k 44	k 4
p 48	p 23	p 108	p 13,2	p 264	a 5
A _b 95	A _b 32,64	A _b 486	A _b 7,26	A _b 4356	p 24
A _l 624	A _l 260,78	A _l 3564	A _l 42,24	A _l 7260	A _b 36
A _t 814	V 277,44	A _t 45,36	A _t 56,76	A _t 116,16	A _l 60
X		V 16,038	V 23,232	V 63,888	V 48
Es. 3	Es. 8	Es. 13	Es. 18	Es. 23	Es. 28
b 14	c 2,5	a 10	a 2	l 40	l 5
p 38	p 28,8	c 26	c 5,2	k 48	a 6,5
A _l 494	A _b 47,84	p 60	p 12	p 160	p 20
A _t 634	A _l 72	A _l 3180	A _l 26,4	A _l 4160	A _b 25
V 910	A _t 167,68	A _t 34,2	A _t 36	A _t 57,6	A _l 65
X		V 6,36	V 10,56	V 25,6	A _t 90
Es. 4	Es. 9	Es. 14	Es. 19	Es. 24	Es. 29
b 13	b 8,7	b 108	b 13,2	l 110	l 11
c 16	c 8,8	c 117	c 14,3	k 132	k 13,2
A _b 208	p 27,6	p 270	p 33	p 440	a 14,3
A _l 928	A _l 242,88	k 184	k 13	A _b 12100	p 44
V 3328	A _t 331,62	A _l 49680	A _l 429	A _t 435,6	A _b 121
X		A _t 545,4	A _t 501,6	V 532,4	V 532,4
Es. 5	Es. 10	Es. 15	Es. 20	Es. 25	Es. 30
b 3	b 4,6	b 135	b 15	l 48	l 16
c 3	c 3,5	p 360	p 40	k 45	k 15
p 28	A _b 10,58	k 195	k 14	a 51	a 17
A _l 84	A _l 48,3	A _b 4860	A _b 60	p 192	p 64
A _t 150	V 37,03	A _l 799,2	A _l 680	A _l 4896	A _l 800
X		V 947,7	V 840	A _t 72	V 1280